

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definitio
1 BRS	328	detect\$3 with signal and measur\$3 with signal with (predetermin\$3 or reference\$1 or threshold\$1 or preset\$4 or predefine\$1 or expected or desired) with sampl\$3 with rat\$3	USPAT; US-PGPUB; EPO; 2004/09/27 JPO; DERWENT; 16:28 IBM_TDB			
2 BRS	0	detect\$3 with signal and measur\$3 with signal with (predetermin\$3 or reference\$1 or threshold\$1 or preset\$4 or predefine\$1 or expected or desired) with sampl\$3 with rat\$3 and median with (time adj slot or time-slot)	USPAT; US-PGPUB; EPO; 2004/09/27 JPO; DERWENT; 16:29 IBM_TDB			
3 BRS	6	detect\$3 with signal and measur\$3 with signal with (predetermin\$3 or reference\$1 or threshold\$1 or preset\$4 or predefine\$1 or expected or desired) with sampl\$3 with rat\$3 and (time adj slot or time-slot)	USPAT; US-PGPUB; EPO; 2004/09/27 JPO; DERWENT; 16:32 IBM_TDB			

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
4 BRS 0	0	detect\$3 with signal with battery with voltage and measur\$3 with signal with (predetermin\$3 or reference\$1 or threshold\$1 or preset\$4 or preddefine\$1 or expected or desired) with sampl\$3 with rat\$3 and (time adj slot or time-slot)	USPAT; US-PGPUB; EPO; 2004/09/27 JPO; DERWENT; 16:33 IBM_TDB			
5 BRS 24	24	detect\$3 with signal with battery with voltage and measur\$3 with (predetermin\$3 or reference\$1 or threshold\$1 or preset\$4 or preddefine\$1 or expected or desired) with rat\$3 and (time adj slot or time-slot)	USPAT; US-PGPUB; EPO; 2004/09/27 JPO; DERWENT; 16:34 IBM_TDB			
6 BRS 0	0	detect\$3 with signal with battery with voltage and measur\$3 with (predetermin\$3 or reference\$1 or threshold\$1 or preset\$4 or preddefine\$1 or expected or desired) with rat\$3 and averag\$3 with (time adj slot or time-slot)	USPAT; US-PGPUB; EPO; 2004/09/27 JPO; DERWENT; 16:35 IBM_TDB			

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
7	BRS	24	detect\$3 with signal with battery with voltage and measur\$3 with (predetermin\$3 or reference\$1 or threshold\$1 or preset\$4 or preddefine\$1 or expected or desired) with rat\$3 and averag\$3 with value\$1 and (time adj slot or time-slot)	USPAT; US-PGPUB; EPO; 2004/09/27 JPO; DERWENT; 16:40 IBM_TDB			
8	BRS	0	detect\$3 with signal with battery with voltage and measur\$3 with (predetermin\$3 or reference\$1 or threshold\$1 or preset\$4 or preddefine\$1 or expected or desired) with rat\$3 and averag\$3 with median with value\$1 and (time adj slot or time-slot)	USPAT; US-PGPUB; EPO; 2004/09/27 JPO; DERWENT; 16:36 IBM_TDB			
9	BRS	0	detect\$3 with signal with battery with voltage and measur\$3 with (predetermin\$3 or reference\$1 or threshold\$1 or preset\$4 or preddefine\$1 or expected or desired) with rat\$3 and averag\$3 with value\$1 and (time adj slot or time-slot) and median	USPAT; US-PGPUB; EPO; 2004/09/27 JPO; DERWENT; 16:36 IBM_TDB			

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
			detect\$3 with signal with battery with voltage and measur\$3 with (predetermin\$3 or reference\$1 or threshold\$1 or preset\$4 or preddefine\$1 or expected or desired) with rat\$3 and averag\$3 with value\$1 and (time adj slot or time-slot) with slow\$3	USPAT; US-PGPUB; EPO; 2004/09/27 JPO; DERWENT; 16:37 IBM_TDB			
10	BRS	0					
			detect\$3 with signal with battery with voltage with (predetermin\$3 or reference\$1 or threshold\$1 or preset\$4 or preddefine\$1 or expected or desired) with rat\$3 and averag\$3 with value\$1 and (time adj slot or time-slot)	USPAT; US-PGPUB; EPO; 2004/09/27 JPO; DERWENT; 16:40 IBM_TDB			
11	BRS	0					
			averag\$3 with battery with voltage with (predetermin\$3 or reference\$1 or threshold\$1 or preset\$4 or preddefine\$1 or expected or desired) with rat\$3 and averag\$3 with value\$1 and (time adj slot or time-slot)	USPAT; US-PGPUB; EPO; 2004/09/27 JPO; DERWENT; 16:40 IBM_TDB			
12	BRS	0					
			averag\$3 with battery with voltage with (predetermin\$3 or reference\$1 or threshold\$1 or preset\$4 or preddefine\$1 or expected or desired) with rat\$3 and averag\$3 with value\$1 and (time adj slot or time-slot)	USPAT; US-PGPUB; EPO; 2004/09/27 JPO; DERWENT; 16:40 IBM_TDB			

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
13 BRS	12	battery with voltage with average with value with (predetermin\$3 or reference\$1 or threshold\$1 or preset\$4 or predefine\$1 or expected or desired) with rat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 14:48		
14 BRS	0	battery with voltage with average with value with (predetermin\$3 or reference\$1 or threshold\$1 or preset\$4 or predefine\$1 or expected or desired) with rat\$3 and (time adj slot or time-slot)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 17:16		
15 BRS	1	battery with voltage with average with value with (predetermin\$3 or reference\$1 or threshold\$1 or preset\$4 or predefine\$1 or expected or desired) with sampl\$3 with rat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 17:19		
16 BRS	118	(compensat\$3 or adjust\$3 or calibrat\$3) with phase with battery with voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 17:22		
17 BRS	5	(compensat\$3 or adjust\$3 or calibrat\$3) with phase with averag\$3 with battery with voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 17:22		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
18	BRS	0	average\$3 with battery with voltage with (predetermin\$3 or reference\$1 or threshold\$1 or preset\$4 or predefine\$1 or expected or desired) with sample\$3 with rat\$3 with (median or intermediate\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 11:36		
19	BRS	0	average\$3 with battery with voltage with (predetermin\$3 or reference\$1 or threshold\$1 or preset\$4 or predefine\$1 or expected or desired) with sample\$3 with rat\$3 and (median or intermediate\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 11:37		
20	BRS	2	average\$3 with battery with voltage with (predetermin\$3 or reference\$1 or threshold\$1 or preset\$4 or predefine\$1 or expected or desired) with rat\$3 with (median or intermediate\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:03		
21	BRS	2927	322/28,99.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 11:53		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
22 BRS	840	702/63-65.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 11:56		
23 BRS	1038	320/141-143, 145, 159-162.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 11:57		
24 BRS	3	averag\$3 with battery with voltage with (predetermin\$3 or reference\$1 or threshold\$1 or preset\$4 or predefine\$1 or expected or desired) with sampl\$3 with rat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:00		
25 BRS	9	averag\$3 with battery with voltage with sampl\$3 with rat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:03		
26 BRS	3	averag\$3 with battery with voltage with sampl\$3 with time with rat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:01		
27 BRS	2	averag\$3 with battery with voltage with (sampl\$3 adj rat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:03		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
28	BRS	0	averag\$3 with battery with voltage with (median or intermediat\$3) and measur\$3 with sampl\$3 with rat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:04		
29	BRS	0	averag\$3 with battery with voltage same (median or intermediat\$3) and measur\$3 with sampl\$3 with rat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:05		
30	BRS	0	averag\$3 with battery with voltage\$1 same (median or intermediat\$3) and measur\$3 with sampl\$3 with rat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:06		
31	BRS	4	averag\$3 with battery with voltage\$1 same (median or intermediat\$3) and sampl\$3 with rat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:10		
32	BRS	0	averag\$3 with battery with voltage\$1 same (median or intermediat\$3) and sampl\$3 with rat\$3 and (intermediat\$3 or median) with (time-slot or time-domain or time adj slot or time adj domain)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:12		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
			averag\$3 with battery with voltage\$1 same (median or intermediat\$3) and sampl\$3 with rat\$3 and (time-slot or time-domain or time adj slot or time adj domain)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:12		
33	BRS	0	averag\$3 with battery with voltage\$1 and sampl\$3 with rat\$3 and (intermediat\$3 or median) with (time-slot or time-domain or time adj slot or time adj domain)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:12		
34	BRS	0	averag\$3 with battery with voltage\$1 with sampl\$3 with rat\$3 and (intermediat\$3 or median) with (time-slot or time-domain or time adj slot or time adj domain)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:12		
35	BRS	0	averag\$3 with battery with voltage\$1 with (time-slot or time-domain or time adj slot or time adj domain)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:13		
36	BRS	13	averag\$3 with battery with voltage\$1 and (time-slot or time-domain or (time adj slot) or (time adj domain))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:17		
37	BRS	0	measur\$3 with voltage with (predetermined with period or time or duration) and averag\$3 with (median or intermediat\$3) with value\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:19		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
38	BRS	809	measur\$3 with voltage with (predetermined with period or time or duration) and (median or intermediat\$3) with value\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:19		
39	BRS	75	measur\$3 with voltage with (predetermined with period or time or duration) and (median or intermediat\$3) with value\$1 and phase with (calibrat\$3 or compensat\$3 or adjust\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:20		
40	BRS	0	measur\$3 with voltage with (predetermined with period or time or duration) and (median or intermediat\$3) with value\$1 and phase with (calibrat\$3 or compensat\$3 or adjust\$3) and battery with voltge\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:21		
41	BRS	8	measur\$3 with voltage with (predetermined with period or time or duration) and (median or intermediat\$3) with value\$1 and phase with (calibrat\$3 or compensat\$3 or adjust\$3) and battery	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:23		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
42	BRS	15	battery with voltage with (predetermined with period or time or duration) and (median or intermediat\$3) with-value\$1 and phase with (calibrat\$3 or compensat\$3 or adjust\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:23		
43	BRS	3	battery with voltage with predetermined with (period or time or duration) and (median or intermediat\$3) with value\$1 and phase with (calibrat\$3 or compensat\$3 or adjust\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:23		
44	BRS	1	measur\$3 with voltage with predetermined with (period or time or duration) and (median or intermediat\$3) with value\$1 and phase with (calibrat\$3 or compensat\$3 or adjust\$3) and battery	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:24		
45	BRS	3	battery with voltage with predetermined with (period or time or duration) and (median or intermediat\$3) with value\$1 and phase with (calibrat\$3 or compensat\$3 or adjust\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:26		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definitio
46	BRS	310	(median or intermediat\$3) with (time-slot or time adj slot)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:26		
47	BRS	5	averag\$3 with (median or intermediat\$3) with (time-slot or time adj slot)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:27		
48	BRS	0	averag\$3 with battery and (median or intermediat\$3) with (time-slot or time adj slot)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:28		
49	BRS	0	battery with voltage\$1 and averag\$3 with signal and (median or intermediat\$3) with (time-slot or time adj slot)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:28		
50	BRS	0	battery with voltage\$1 with averag\$3 and (median or intermediat\$3) with (time-slot or time adj slot)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:28		
51	BRS	39	battery with voltage\$1 with averag\$3 and (median or intermediat\$3) with time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:30		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
52	BRS	4	battery with voltage\$1 with averag\$3 and (median or intermediat\$3) with time and phase with (calibrat\$3 or compensat\$3 or adjust\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:35		
53	BRS	6	battery with voltage\$1 with averag\$3 and (middle or median or intermediat\$3) with time and phase with (calibrat\$3 or compensat\$3 or adjust\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:36		
54	BRS	9	battery with voltage\$1 and averag\$3 with (middle or median or intermediat\$3) with time and phase with (calibrat\$3 or compensat\$3 or adjust\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:39		
55	BRS	17	measur\$3 with battery with voltage\$1 with over with (period or duration or time) with averag\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 12:41		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
56	BRS	823	measur\$5 with battery with voltage\$1 with (predetermin\$3 or reference\$1 or threshold\$1 or preset\$4 or preddefine\$1 or expected or desired) with (time or period\$1 or interval\$1 or duration)	USPAT; US-PGPUB; EPO; 2004/09/28 JPO; DERWENT; 13:39 IBM_TDB			
57	BRS	6	measur\$5 with stor\$3 with averag\$3 with battery with voltage\$1 with (predetermin\$3 or reference\$1 or threshold\$1 or preset\$4 or preddefine\$1 or expected or desired) with (time or period\$1 or interval\$1 or duration)	USPAT; US-PGPUB; EPO; 2004/09/28 JPO; DERWENT; 13:43 IBM_TDB			
58	BRS	146	averag\$3 with battery with voltage\$1 with (predetermin\$3 or reference\$1 or threshold\$1 or preset\$4 or preddefine\$1 or expected or desired) with (time or period\$1 or interval\$1 or duration)	USPAT; US-PGPUB; EPO; 2004/09/28 JPO; DERWENT; 13:43 IBM_TDB			

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definitio
59	BRS	43	averag\$3 with battery with voltage\$1 with (compar\$4 or differen\$2) with (predetermin\$3 or reference\$1 or threshold\$1 or preset\$4 or predefine\$1 or expected or desired) with (time or period\$1 or interval\$1 or duration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 13:44		
60	IS&R	2	("6752126").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 14:49		
61	IS&R	3	("6721375").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 14:49		